

એમ.બી.ગાંધી  
કાર્યપાલક ઈજનેર  
સાઉથ વેસ્ટ (અઠવા) ઝોન,  
આદર્શભવનની બાજુમાં, અઠવાલાઈન્સ,  
સુરત મહાનગરપાલિકા, સુરત.



ફોન નંબર : ૨૬૬૩૦૪૯-૫૦  
૨૬૬૭૯૨૬  
મ્યુનિસિપલ ઝોન ઓફિસ, સુરત.

## સંમતિપત્ર

નં.સા.વે.ઝોન(અઠવા)/આ.૩૯૩૬  
તારીખ: ૨૨/૧૧/૨૫

પ્રતિ,

.....  
.....  
.....  
.....  
.....

વિષય :- સાઉથ વેસ્ટ (અઠવા) ઝોન વિસ્તારમાં સબઝોન નંબર : ૦૧ થી ૦૫ વિસ્તારમાં ટી.પી.રસ્તા પર તથા સોસાયટીના આંતરીક રસ્તા પર પાણી પુરવઠાની જુદી જુદી સાઈઝની સી.આઈ./ડી.આઈ. નળીકા પર મુકવામાં આવેલ વાલ્વના નવા ચેમ્બર બનાવવા તથા હયાત વાલ્વ ચેમ્બરોના મરામત અને નિભાવની કામગીરી કરવાનું કામ.

સંદર્ભ :- (૧) સ્થા.સ.ઠ.નં.૨૦૯૫/૨૦૨૨, તા.૧૫/૧૨/૨૦૨૨ થી મંજૂર થયેલ ટેન્ડરના ભાવે અને શરતે  
(૨) એડી.સીટી.ઈજનેરશ્રીની તા.૨૦/૦૧/૨૦૨૫ ના રોજની મંજૂરી.

મહાશય,

સાઉથ વેસ્ટ (અઠવા) ઝોન વિસ્તારમાં સબઝોન નંબર : ૦૧ થી ૦૫ વિસ્તારમાં ટી.પી.રસ્તા પર તથા સોસાયટીના આંતરીક રસ્તા પર પાણી પુરવઠાની જુદી જુદી સાઈઝની સી.આઈ./ડી.આઈ. નળીકા પર મુકવામાં આવેલ વાલ્વના નવા ચેમ્બર બનાવવા તથા હયાત વાલ્વ ચેમ્બરોના મરામત અને નિભાવની કામગીરી કરવાના કામે ઉક્ત સંદર્ભ (૧) મુજબ સ્થા.સ.ઠ.નં. ૨૦૯૫/૨૦૨૨, તા.૧૫/૧૨/૨૦૨૨ થી મંજૂર થયેલ ટેન્ડરના ભાવે અને શરતે રૂ.૫,૦૦,૦૦૦.૦૦ પે. ની મર્યાદામાં કામગીરી કરાવવા સંદર્ભ (૨) હેઠળથી મંજૂરી મળેલ. આ કામ કરવા સંમત હોય તો આપશ્રીની લેખિત સંમતિ બંધ કવરમાં તા. ૨૨/૧૧/૨૫ સુધીમાં નીચે સહી કરનારની કચેરીમાં પહોંચાડવા પ્રબંધ કરશો. ઉપરોક્ત જણાવેલ તારીખ પછી કોઈ બંધ કવરો સ્વીકારવામાં આવશે નહીં.

:- શરતો :-

૧. અર્નસ્ટમની ડીપોઝીટની રકમ કમિશનરશ્રી, સુરત મહાનગરપાલિકાના નામનો સુરતની રાષ્ટ્રીયકૃત શીડયુલ બેંકના ડીમાન્ડ ડ્રાફ્ટ / પે. ઓર્ડરથી સંમતિપત્રક સાથે રૂ.૫,૦૦૦/- ની આપવાની રહેશે.
૨. ઈજારદારે અંદાજીત રકમ ના ૨૦% એટલે કે રૂ.૧,૦૦,૦૦૦.૦૦ પે. કે તેથી વધુ રકમની વર્તમાન (ચાલુ) વર્ષની રાષ્ટ્રીયકૃત બેંકની સોલવંશી સર્ટીફિકેટ સંમતિપત્રક સાથે આપવાની રહેશે.

૩. ઈજારદારે સમાન પ્રકારના પૂર્ણ કરેલ કામના/ અનુભવના સર્ટીફિકેટ (Form 3A/Work Completion Certificate) ની પ્રમાણીત નકલ સંમતિપત્રક સાથે આપવાની રહેશે.
૪. ઈજારદારે GST રજીસ્ટ્રેશન સર્ટીફિકેટની નકલ સંમતિપત્રક સાથે આપવાની રહેશે.
૫. ઈજારદારે પાન કાર્ડ રજૂ કરવાનું રહેશે.
૬. ઈજારદારે શીડયુલ-બી માં જણાવેલ ભાવ અને ટેકનીકલ બીડની શરતોને બંધનકર્તા રહેશે.
૭. કોઈપણ તથા બધાજ સંમતિપત્રક રદ કરવાનો અધિકાર સુરત મહાનગરપાલિકાને અબાધિત રહેશે તે અંગે કોઈ પણ કારણો આપવામાં આવશે નહીં.
૮. તમામ પ્રકારના વેરા / સરકારી ટેક્ષ ઈજારદારે ભોગવવાનાં રહેશે.
૯. તમામ સરકારી/ અર્ધ સરકારી લાગુ પડતા કાયદાનું ઈજારદારે પાલન કરવાનું રહેશે.
૧૦. સદર કામગીરી બાબતે અત્રેના પાણી વિભાગના ટેકનીકલ સ્ટાફનો સંપર્ક કરવો.

**બીડાણ :** (૧) શીડયુલ-બી ની નકલ.

SD/-  
કાર્યપાલક ઈજનેર  
સાઉથ વેસ્ટ(અઠવા)ઝોન  
સુરત મહાનગરપાલિકા

**નકલ રવાના :** તમામ ખાતા/ઝોનના કાર્યપાલક ઈજનેરશ્રી પ્રતિ જાણ તથા નોટીસ બોર્ડ પર પ્રસિધ્ધ કરવા સારૂ.

**SURAT MUNICIPAL CORPORATION  
HYDRAULIC DEPARTMENT  
SCHEDULE-B**

**Name of Work:-** Unit Rate for Construction and Repairing of Valve Chambers at Various Locations in Surat Municipal Corporation Area.

ITEM NO	DESCRIPTION	QTY	As per GWSSB-2021/22-R & B-2021/22 & Market Rate			
			Rate		UNIT	Amount
			Rs.	Ps.		
1	Excavation for Foundation including all safety provision (barricadding, fencing, reflective Cautionary Warning Sign Board of work in progress etc.) using site rails with shoring, strutting and stacking the excavated stuff upto 50.00 mt.complete for lift and strata as specified. The excavation shall be carried out in stable slope for which no extra payment will be made. complete as directed by the Engineer-in-charge. (R & B SOR 2021-22 Page No. 64)					
	(A) depth 0.00 to 1.50 mt.	500.00	77.30	CM	38650.00	
	(B) depth 1.5 to 3.00 mt.	500.00	85.79	CM	42895.00	
	(C) depth 3.00 to 5.0 mt.	200.00	94.07	CM	18814.00	
2	<b>Excavation of asphalt road</b> or any kind of pavement of any thickness with stacking the same etc. completed as directed. (GWSSB SOR 2021-22 Page No. 33)	120.00	305.90	CM	36708.00	
3	Refilling of trenches including ramming, watering, consolidating, disposal of surplus stuff as directed within a radius of 3 km. (GWSSB SOR 2021-22 Page No. 40)	100.00	27.60	CM	2760.00	
4	<b>Providing and laying C.C 1:3:6</b> (1-cement :3- coarse sand : 6- graded stone aggregate of 40 mm nominal size)and curing , compacting including cost of form work for P.C.C. (GWSSB SOR 2021-22, Part-1 C1, It. 2.1)					
	For Pipe Encasing/Thrust Block	30.00	4275.00	Cu.m.	128250.00	
	For foundation and plinth.	25.00	4275.00	Cu.m.	106875.00	
5	<b>Providing and constructing brick work</b> using common burnt clay Fly Ash building bricks confirming to IS:13757 ,IS:5454 ,IS:3495 having crushing strength not less than 35Kg/Sq.cm. brick masonry as per the detailed drawing using brick of approved quality in foundation and plinth incl. racking out joints, watering etc. as directed in CM 1:6 (1 Cement:6 coarse sand) (R&B SOR 2021-22 Page No. 84)	230.00	3206.35	CM	737459.58	

ખરી નકલ  
સંકલન ઓફિસર  
સા. વે. (અકવા) ઝોન  
સુરત મહાનગરપાલિકા

ખરી નકલ  
સંકલન ઓફિસર  
સા. વે. (અકવા) ઝોન  
સુરત મહાનગરપાલિકા

6	Providing and applying 10 mm thick cement plaster in single coat on brick / concrete walls similar surface for plastering and finished even and smooth with a floating coat of neat cement slurry mixed with admixture of lime required proportion etc. complete.(R&B SOR 2021-22 Page No. 142)	700.00	107.65	SM	75352.06
7	Providing and laying Cement concrete 1:1.5:3 (I.e in proportion of CM 1:1.5:3 (1- cement : 1.5 -fine Agg.and 3- 20 mm nominal size kapachi) including cost of form work but excluding cost of reinforcement including curing etc. complete. (GWSSB SOR 2021-22 Page No. 43)				
	(A) Foundation, Footing, Base of Columns and mass concrete	10.00	5610.00	CM	56100.00
	(B)Slabs	40.00	6967.00	CM	278680.00
8	Providing ,Cleaning straghtening ,Cutting ,bending binding in position TMT bar for Reinforced concrete work confirming to IS 1786 and Mild steel reinforcement confirming to IS 226 (GWSSB SOR 2021-22, Part-1 C1, It. 9.4)	2800.00	77.705	KG	217574.00
9	Providing and fixing C.I \PVC steps of size 300 x 150 x 25 mm in the masnory chamber.The steps shall be fixed at the time of constructing the chamber. (R&B SOR 2021-22 Page No. 180)	100.00	194.07	NO	19407.15
10	Providing & fixing R.C.C.Precast Manhole Frame with cover in M-350 as per drawing for Manhole suitable for 450x600 cm opening of M.H. including cost of reinforcement M.S. Angles or Flate, curring mold work etc.complete. (GWSSB SOR 2021-22, Page No 16 , It. 10.4.A)				
	(a) Heavy Duty	50.00	2569.00	NO	128450.00
11	Providing and fixing M.S manhole frame and cover of required size including necessary hold fast arrangement. The frame shall be grouted in the RCC slab at the time of casting the slab including one coat of primer and two coat of oil paint. The frame shall be of M.S. angle of size 65X65X6 mm & 12 mm thick M.S. plate as directed by Engineer-in-charge. (SMC Unit Rate)	2000.00	60.89	KG	121780.00
12	Bailing out subsoil or drainage water by pumps as directed after excavation and during concreting / pipe laying work and keeping dry the area till the complete of work as per information given by the Engineer-in-charge. (SMC Unit Rate)	74.43	18.28	HP/H R	1360.56

5

13	Taking colour photographs of work in progress and submit with each R.A.Bill. Photographs shall cover details of locations of the activity of work in progress. The Contractor shall submit photographs with Album in a set comprising 3 (three) copies (size of photograph is 4" x 6") and a soft copy of the same. Work shall be carried out as per the instruction of the Engineer-in-charge.(SMC Unit Rate)	100.00	30.00	No	3000.00
<b>Total</b>					<b>2014115.35</b>

**ESTIMATED COST: Rs. 20,14,115.35 Ps.**

( Twenty Lacs Fourteen Thousand One Hundred Fifteen rupee and Thirty Five paisa only)

TENDERER'S BID FOR EXECUTION OF WORK:

PERCENTAGE HIGHER / BELOW OF **Rs. 20,14,115.35 Ps**

TENDER AMOUNT (IN FIGURES): Rs. \_\_\_\_\_

TENDER AMOUNT (IN WORDS): Rs. \_\_\_\_\_

SIGNATURE AND SEAL OF THE CONTRACTOR:

NAME AND ADDRESS:

DATE:

SIGNATURE OF WITNESS:

NAME AND ADDRESS:

DATE:

*[Signature]*  
**HYDRAULIC ENGINEER**  
**SURAT MUNICIPAL CORPORATION**